

INDEX MAPS.

T. 1N, R. 4E. 2nd Mer.

	171-173	171-173	171-173	171-172	171-172	171-172	172					
175	6	195	5	190	4	187	3	183	2	179	1	170
	195	195	190	186	182	178						
174	7	194	8	190	9	186	10	182	11	178	12	170
	194	194	189	185	182	178						
174	18	193	17	189	16	185	15	181	14	177	13	170
	193	193	189	185	181	177						
174	19	193	20	188	21	184	22	181	23	176	24	169
	192	192	188	184	180	176						
174	30	192	29	188	28	184	27	180	26	176	25	169
	191	191	187	183	180	175						
173	31	191	32	187	33	183	34	179	35	175	36	169
	167	167	167	168	168	168						

T. 2N, R. 4E. 2nd Mer.

	201-203		201-203		202-203		202-203		202-203		202	
206	6	229	5	222	4	218	3	214	2	210	1	201
	228		228		222		218		214		209	
205	7	228	8	222	9	217	10	213	11	209	12	200
	227		227		221		217		213		209	
205	18	226	17	221	16	217	15	212	14	208	13	200
	226		226		220		216		211		208	
204	19	225	20	220	21	216	22	211	23	208	24	200
	225		224		220		216		211		207	
204	30	224	29	219	28	215	27	211	26	207	25	200
	224		223		219		215		211		206	
204	31	223	32	219	33	215	34	210	35	206	36	199
	197-199		197-199		197-198		197-198		197-198		197-198	

The figures on the lines refer to the page.

Township N. 1 North, Range N. 4 East 2. Mer. Indiana

South Boundary or Base line
 East On S. boundary of Sec 36, T. 1 N. R. 4 E.
 15.00 a Beech 24 in. dia.
 21.00 a Creek 100 lks. wide Course South
 40.00 Set the gr. Sec. post, from which
 a Hickory 6 in. dia. bears N 50 W 11 lks. dist. of
 a P. Oak 10 " " " S 50 E 14 " "
 40.75 a P. Oak 10 " "
 60.50 a Creek 200 lks. wide Course North
 80.00 Set a post Cor. to Sec. 31 & 32, T. 1 N. R. 4 E. from which
 a Sugar tree 20 in. dia. bears S 4 E 21 lks. dist. of
 a Beech 30 " " " N 68 W 47 " "
 Land & Broken. Sugar, Beech, Oak &c

East On S. boundary of Sec. 32, T. 1 N. R. 4 E.
 15.25 a Creek 200 lks. wide Course S. W.
 20.88 a Poplar 20 in. dia.
 40.00 Set the gr. Sec. post, from which
 an Elm 12 in. dia. bears S 79 W 46 lks. dist. of
 a Buckeye 8 " " " N 79 E 34 " "
 48.50 a Creek 50 lks. wide Course S. W.
 56.00 a Beech 30 in. dia.
 72.00 a Creek 100 lks. wide Course S. W.
 80.00 Set a post Cor. to Sec. 32 & 33, T. 1 N. R. 4 E. from which
 a Beech 30 in. dia. bears S 19 E 10 lks. dist. of
 a do 12 " " " N 4 E 35 " "
 Land rich, timber Beech & Sugar tree

East On S. boundary of Sec 33, T. 1 N. R. 4 E.
 35.50 a Beech 30 in. dia.
 40.00 Set the gr. Sec. post, from which
 a Beech 20 in. dia. bears S 55 W 14 lks. dist. of
 a do 8 " " " N 79 E 9 " "

T. N. R. 4 E. 2. Mer. Indiana

70.50 a Creek 100 lks. wide Course S. W.
 80.00 Set a post Cor. to Sec. 33 & 34, T. N. R. 4 E. from
 which a Blue Ash 24 in. dia. bray N 22 W 13 lks. dist.
 of a W. Oak 8 " " " S 57 W 11 " "
 Sand rich, timber Beech, Oak & Hickory,
 undergth Sprucewood

East On S. boundary of Sec. 34, T. N. R. 4 E.
 15.50 a Creek 100 lks. wide Course N. W.
 28.50 Same 100 " " " S. W.
 40.00 Set the q. Sec. post, from which
 a Beech 30 in. dia. bray S 27 W 7 lks. dist. of
 a Do 28 " " " N 72 W 12 " "
 80.00 Set a post Cor. to Sec. 34 & 35, T. N. R. 4 E. from which
 a Beech 8 in. dia. bray S 22 W 18 lks. dist. of
 a W. Ash 10 " " " N 86 E 25 " "
 Sand timber &c. Same as on the last mile

East On S. boundary of Sec. 35, T. N. R. 4 E.
 40.00 Set the q. Sec. post, from which
 a Beech 19 in. dia. bray N 6 E 20 lks. dist. of
 a W. Oak 6 " " " S 15 E 16 " "
 64.70 a W. Ash 18 "
 80.00 Set a post cor. to Sec. 35 & 36, T. N. R. 4 E. from which
 a P. Walnut 5 in. dia. bray S 70 W 11 lks. dist. of
 a Red Bud 4 " " " S 78 E 18 " "
 Sand very bushy & broken

East On S. boundary of Sec. 36, T. N. R. 4 E.
 40.00 Set the q. Sec. post, from which
 a P. Walnut 5 in. dia. bray S 44 W 4 lks. dist. of
 a Sassafras 5 " " " S 4 E 5 " "
 80.00 Set a post Cor. to Township, N. 1. N. of 16.

T. N. R. 4 E. 2^d Mer. Indiana

Ranges N. 45 E. from which
 a Beech 10 in. dia. bray N 77 W 8 lks. dist. of
 a Poplar 8 " " " N 77 E 20 " "
 This mile over very brushy soil no timber
 July 15th 1806.

East Boundary

North On E. boundary of Sec 36, T. N. R. 4 E.
 40.00 Set the gr. Sec. post, from which
 a Poplar 20 in. dia. bray S 20 E 7 lks. dist. of
 a Do 10 " " " S 45 W 12 " "
 71.00 at Brook 10 lks. wide Course West
 80.00 Set a post Cor. to Sec. 25 of 36, from which
 a W. Oak 10 in. dia. bray S 5 W 2 lks. dist. of
 a Do 15 " " " N 51 E 32 " "
 Middling farming land Oak & hickory, timber. Soil

North On E. boundary of Sec. 25, T. N. R. 4 E.
 40.00 Set the gr. Sec. post, from which
 a W. Oak 12 in. dia. bray S 9 W 9 lks. dist. of
 a D. Oak 12 " " " S 76 W 27 " "
 73.00 a Creek 100 lks. wide Course S. W.
 80.00 Set a post Cor. to Sec. 24 of 25, from which
 a Beech 10 in. dia. bray S 45 E 27 lks. dist. of
 a Maple 12 " " " S 5 E — " "
 Land timber &c. same as on the last mile

August 24th 1806

North On E. boundary of Sec. 24, T. N. R. 4 E.
 40.00 Set the gr. Sec. post, from which
 a Beech 8 in. dia. bray N 45 E 32 lks. dist. of
 a Do 8 " " " S 65 W 32 " "
 52.00 a Brook 20 lks. wide Course West

T. N. R. 4 E. 2nd Mer. Indiana

80.00 Set a post Cor. to Sec. 13 & 24, T. N. R. 4 E. from which
 a Poplar 6 in. dia. - bay N 60 E 4 lks. dist. &
 a Sassafras 4 " " " West 14 " "
 Middling Soil but Brushy

North On E. boundary of Sec. 13, T. N. R. 4 E.
 40.00 Set the q. Sec. post, from which
 a Beech 15 in. dia. - bay N 78 E 20 lks. dist. &
 a Do 24 " " " N 89 W 33 " "
 80.00 Set a post Cor. to Sec. 12 & 13, T. N. R. 4 E. from which
 a Dogwood 4 in. dia. - bay N 60 W 13 lks. dist. &
 a Do 4 " " " N 60 E 8 " "
 Sand timber &c. Same as on the last mile

North On E. boundary of Sec. 12, T. N. R. 4 E.
 40.00 Set the q. Sec. post, from which
 a Beech 12 in. dia. - bay S 53 W 19 lks. dist. &
 a Poplar 5 " " " N 55 W 22 " "
 80.00 Set a post Cor. to Sec. 11 & 12, T. N. R. 4 E. from which
 a Hickory 2 in. dia. - bay N 62 E 19 lks. dist. &
 a Gum 20 " " " N 1 E 25 " "
 Sand timber &c. Same as on the last mile

North On E. boundary of Sec. 1, T. N. R. 4 E.
 25.50 a Brook 8 lks. wide Course West
 40.00 Set the q. Sec. post, from which
 a Dogwood 6 in. dia. - bay S 86 W 20 lks. dist. &
 a Beech 29 " " " N 60 E 25 " "
 51.00 a Brook 20 lks. wide Course West
 80.00 Set a post Cor. to Township N. 1 & 2 North
 of Range N. 4 & 5 East from which
 a W. Oak 7 in. dia. - bay N 39 E 14 lks. dist. &
 a B. Oak 5 " " " S 8 E 21 " "

171

T. N. R. 4 E. 2ⁿ. Mer. Indiana

Land timber &c. Same as on the last mile

North Boundary

East On Rand^m. S. boundary Sec. 31, T. 2 N. R. 4 E.

40.00 Set temp^y. of Sec. post

47.00 a Creek 100 lks. wide Course South

50.50 part of the same Creek Course S.

80.00 Set temp^y. Sec. post. Good farming land
timber Oak, Sugar, Walnut & Beech, underg.
Spice wood, Hickory & prairie

East On Rand^m. S. boundary of Sec. 32, T. 2 N. R. 4 E.

40.00 Set temp^y. of Sec. post

80.00 Set temp^y. Sec. post

Land timber &c. Same as on the last mile

East On Rand^m. S. boundary of Sec. 33, T. 2 N. R. 4 E.

40.00 Set temp^y. of Sec. post

80.00 Set temp^y. Sec. post

Land timber &c. Same as on the last mile

East On Rand^m. S. boundary of Sec. 34, T. 2 N. R. 4 E.

21.50 a Creek 100 lks. wide Course South

26.00 Same 100 lks. " " N.W.

40.00 Set temp^y. of Sec. post

56.00 Same Creek 100 lks. wide Course N.W.

80.00 Set temp^y. Sec. post. (description omitted)

East On Rand^m. S. boundary of Sec. 35, T. 2 N. R. 4 E.

17.00 a Creek 100 lks. wide Course N.W.

40.00 Set temp^y. of Sec. post

80.00 Set temp^y. Sec. post. Land the same

T. N. R. 4 E. 2^d Mer. Indiana

East On Rand^m S. boundary of Sec. 36, T. 2 N. R. 4 E.
 7.50 a Brook 10 lks. wide Course N.
 20.50 a Creek 100 lks. " " S. W.
 31.00 Same 100 lks. " " S. W.
 40.00 At temp^y. of Sec. post
 51.50 a Brook 12 lks. wide Course North
 73.59 Intersected the N. S. (Town) line 195 lks. S.
 of the Town Corner.
 Sand timber &c. Same as on the last mile

West On true line S. boundary of Sec. 36, T. 2 N. R. 4 E.
 40.00 At the of. Sec. post, from which
 a Beech 20 in. dia. bray S 50 E 22 lks. dist. of
 a Ho 15 " " " N 28 E 22 " "
 80.00 At a post Cor. to Sec. 35 & 36, T. 2 N. R. 4 E. from which
 a Poplar 6 in. dia. bray N 10 W 10 lks. dist. of
 a Gum 20 " " " S 15 W 21 " "

West On true line S. boundary of Sec. 35, T. 2 N. R. 4 E.
 40.00 At the of. Sec. post, from which
 a W. Walnut 5 in. dia. bray N 64 E 10 lks. dist. of
 a Dogwood 8 " " " S 14 W 13 " "
 80.00 At a post Cor. to Sec. 34 & 35, T. 2 N. R. 4 E. from which
 a Poplar 10 in. dia. bray S 80 W 2 lks. dist. of
 a Ho 6 " " " S 49 E 5 " "

West On true line S. boundary of Sec. 34, T. 2 N. R. 4 E.
 40.00 At of. Sec. post, from which
 an Elm 10 in. dia. bray N 70 E 13 lks. dist. of
 a Lycamore 6 " " " N 34 W 31 " "
 80.00 At a post Cor. to Sec. 33 & 34, T. 2 N. R. 4 E. from which
 a Dogwood 5 in. dia. bray N 34 E 4 lks. dist. of
 a Mulberry 6 " " " S 8 E 6 " "

T. 1 N. R. 4 E. 2^d Mer. Indiana

West On true line S. boundary of Sec. 33, T. 2 N. R. 4 E
 40.00 Let the gr. Sec. post from which
 a Beech 10 in. diam. bear S 57 E 14 lks. dist. of
 a Do 8 " " " N 16 W 5 " "
 80.00 a Beech 24 in. diam. Cor. of Sec. 32 & 33, T. 2 N. R. 4 E.

West On true line S. boundary of Sec. 32, T. 2 N. R. 4 E
 40.00 Let the gr. Sec. post from which
 a Beech 10 in. diam. bear S 62 E 9 lks. dist. of
 a Do 6 " " " N 32 W 14 " "
 80.00 Let a post Cor. to Sec. 31 & 32, T. 2 N. R. 4 E, from which
 a Beech 15 in. diam. bear S 69 W 24 lks. dist. of
 a Dogwood 6 " " " N 82 E 7 " "

West On true line S. boundary of Sec. 31, T. 2 N. R. 4 E.
 40.00 Let the gr. Sec. post from which
 a Dogwood 6 in. diam. bear S 50 W 6 lks. dist. of
 a Do 5 " " " N 4 E 5 " "
 73.59 to Corner of Townships N. 1 & 2 N. Range
 N. 3 & 4 East September 17th 1806

West Boundary

North On E. boundary of Sec. 36, T. 1 N. R. 3 E.
 21.50 a W. Oak 20 in. diam.
 40.00 Let the gr. Sec. post from which
 a Poplar 20 in. diam. bear S 57 W 44 lks. dist. of
 a Beech 10 " " " N 35 W 9 " "
 80.00 Let a post Cor. to Sec. 25 & 36, T. 1 N. R. 3 E from which
 a W. Oak 12 in. diam. bear S 62 E 18 lks. dist. of
 a Do 10 " " " N 52 W 12 " "
 This mile over Good farming land, timber
 Beech Oak & Hickory

T. N. R. 4 E. 2. Mer. Indiana

North On E. boundary of Sec 25, T. N. R. 3 E

40.00 Set the q. Sec. post. from which

a Dogwood 6 in. dia. bray N 47 E 30 lks. dist. of

a Hickory 13 " " " N 57 E 21 " "

80.00 Set a post cor. to Sec. 24 & 25, T. N. R. 3 E. from which

no bearings were taken, in the Parrens

This mile over very bushy thin soil (no timber)

North On E. boundary of Sec. 24, T. N. R. 3 E.

40.00 Set the q. Sec. post. no bearings taken

Land the same

80.00 Set a post cor. to Sec. 13 & 24, T. N. R. 3 E.

No timber near.

Land timber &c. same as on the last mile

North On E. boundary of Sec 13, T. N. R. 3 E.

40.00 Set the q. Sec. post, no timber near

58.60 a Beech 20 in. dia.

66.20 a Poplar 25 " "

80.00 Set a post cor. to Sec. 12 & 13, T. N. R. 3 E. from which

a W. Oak 20 in. dia. bray N 56 E 8 lks. dist. of

a Gum 15 " " " N 22 W 13 " "

Land this mile land of the same quality

North On E. boundary of Sec. 12 T. N. R. 3 E

40.00 Set the q. Sec. post. from which

a Dogwood 6 in. dia. bray N 68 E 47 lks. dist. of

a Chestnut 40 " " " S 23 E 46 " "

60.50 a Brook 150 lks. wide Course West

80.00 Set a post corner to Sec. 11 & 12, T. N. R. 3 E. from which

a Beech 20 in. dia. bray N 83 W 24 lks. dist. of

a Sugar 12 " " " — 48 E 31 " "

Good farming land, timber Beech & Sugar, wooding. ^{to} Pine

S. N. R. 4 E. 2nd Mer. Indiana

North On E. boundary of Sec. 1, S. N. R. 3 E.

0.20 a Beech 20 in. dia. 1

19.50 a Creek 150 lbs. wide Course S. E.

40.00 At the q. Sec. post, from which
a Poplar 4 in. dia. bears S 46 W 11 lbs. dist. of
a No 2 " " " N 46 E 6 " "

65.00 Same Creek 150 lbs. wide Course S. W.

80.00 At a post cor. to Township, N. 1/2 North, of
Range, N. 3/4 East, from which
a W. Ash 20 in. dia. bears S 5 E 12 lbs. dist. of
a Logwood 5 " " " S 5 E 6 " "
Land timber &c. same as on the last mile
Surveyed by Arthur Henrie, D. S.

Sub-division.

North Between Sec. 35 & 36, S. N. R. 4 E.

40.00 At the q. Sec. post, from which
a Hickory 7 in. dia. bears S 47 E 4 lbs. dist.

50.00 a P. Oak 24 " " in the line

80.00 At a post cor. to Sec. 25, 26, 35 & 36, from which
a Logwood 5 in. dia. bears N 77 E 28 lbs. dist. of
a No 4 " " " S 24 W 31 " "

Tolerable land, no timber, grown over with brushy spring

East On Range between Sec. 25 & 36, S. N. R. 4 E.

40.00 At temp. q. Sec. post over poor level land
timber Oak & Beech

50.00 a water Course 7 lbs. wide N. E.

68.00 a stream 16 lbs. wide Course N.

79.00 Intersected the E. boundary 30 lbs. N. of post
Level poor Oak land - Some Beech

West Corrected Between Sec. 25 & 36, S. N. R. 4 E.

T^h N. R 4 E. 3^d Mer. Indiana

39.50 Set of Sec. post at average dist. from which
 a W. Oak 11 in. dia. bray N 4 W 8 lks. dist. of
 a Beech 9 " " " South 12 " "
 79.00 to Sec. Corner

North Between Secs. 25 & 26, T^h N. R 4 E.

37.55 a Beech 12 in. dia. in the line
 40.00 Set the of Sec. post, from which
 a Beech 15 in. dia. bray N 53 E 5 lks. dist. of
 a Do 15 " " " S 43 E 16 " "
 Land some rolling, timber Beech & Poplar
 62.50 a Creek 75 lks. wide Course N.
 80.00 Set a post Cor. to Secs. 23, 24, 25 & 26, from which
 a Beech 15 in. dia. bray N 69 W 4 lks. dist. of
 an Elm 5 " " " S 35 W 16 " "
 Over level 3^d rate land, timber Beech & Poplar

East On Rand^m between Secs. 24 & 25, T^h N. R 4 E.

20.25 a Brook 20 lks. wide Course S. W.
 40.00 Set temp^y. of Sec. post
 79.10 Intersected the E. boundary 38 lks. N. of post.
 Over low flat 3^d rate land, timber Beech & Poplar

West Corrected 1 Between Secs. 24 & 25, T^h N. R 4 E.

39.55 Set of Sec. post at average dist. from which
 a W. Walnut 4 in. dia. bray N 68 W 11 lks. dist. of
 a Sugar tree 18 " " " N 41 E 6 " "
 79.10 to Sec. Corner

North 1 Between Secs. 23 & 24, T^h N. R 4 E

23.00 a water Course 8 lks. wide Course S. W.
 40.00 Set the of Sec. post, from which
 a Sugar tree — in. dia. bray N 10 W 40 lks. dist. of

T. N. R. 4 E. 2^d Mer. Indiana

a Sugar tree 12 in. dia. bear South 32 lks. dist.
 flat 3^d rate land, timber Beech & Poplar
 52.65 a W. Oak 24 in. dia. in the line
 80.00 Set a post Cor. to Sec. 13, 14, 23 & 24, from which
 a Walnut 6 in. dia. bear N 47 E 34 lks. dist. of
 a Beech 18 " " " N 74 W 34 " "
 Over rolling 2^d rate land timber Beech, Oak & Poplar

East On Rand^m. between Sec. 13 & 24, T. N. R. 4 E.
 31.50 a water Course 6 lks. wide Course S. E.
 40.00 Set temp^y. of Sec. post
 51.60 a Brook 20 lks. wide Course South
 80.20 Intersected the E. boundary 74 lks. N. of post
 Over hilly 3^d rate land timber, Oak, Beech & Poplar

West Corrected between Sec. 13 & 24, T. N. R. 4 E.
 40.10 Set of Sec. post at average dist. from which
 a W. Oak 15 in. dia. bear N 7 E 16 lks. dist. of
 a Dogwood 5 " " " S 82 E 12 " "
 80.20 to Sec. Corner

North between Sec. 13 & 14, T. N. R. 4 E.
 12.60 a Beech 18 in dia. in the line
 36.35 a water Course 8 lks. wide Course S. E.
 40.00 Set the of Sec. post, from which
 a Beech 18 in. dia. bear N 76 E 23 lks. dist. of
 a Do 24 " " " N 48 W 16 " "
 45.50 a Water Course 6 lks. wide Course S. E.
 46.90 a Beech 15 in. dia. in the line
 80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which
 an Elm 6 in. dia. bear N 63 W 7 lks. dist. of
 a Beech 15 " " " N 19 E 12 " "
 Over rolling 1st rate land, timber Beech, Poplar and

N. N. R. 4 E. T. Mer. Indiana

Lugantree, underg. th Spruce &c.

East On Rand^m. between Sec. 12 & 13, T. 1 N. R. 4 E.

28.50 a water course 8 lks. wide Course S.

40.00 Let temp^y of Sec. post. Over rolling 2^d rate land timber Beech, Poplar & Lugantree

52.20 a water course 10 lks. wide Course S.

71.50 a Do Do 10 lks. " " S

80.10 Intersected the E. boundary 20 lks. N. of post. Over rolling 3^d rate land, timber Beech, Oak and Poplar, thick undergrowth

West Corrected between Sec. 12 & 13, T. 1 N. R. 4 E.

40.05 Let of Sec. post, from which

a Bk. Gum 15 in. dia. beam N 50 E 15 lks. dist. of

a W. Ash 12 " " " N 80 E 50 " "

80.10 to Sec. Corner.

North Between Sec. 11 & 12, T. 1 N. R. 4 E.

38.40 a water course 6 lks. wide Course S. E.

40.00 Let the of Sec. post, from which

a B. Ash 30 in. dia. beam N 57 E 24 lks. dist. of

a Poplar 50 " " " N 68 E 15 " "

68.30 a Poplar 36 " "

80.00 Let a post cor. to Sec. 1, 2, 11 & 12, from which

a Dogwood 9 in. dia. beam N 72 W 35 lks. dist. of

a Do 6 " " " S 86 E 19 " "

Over rolling 2^d rate land Beech, Poplar & Sugar

East On Rand^m. between Sec. 11 & 12, T. 1 N. R. 4 E.

40.00 Let temp^y of Sec. post. Over level 3^d rate land, timber Beech, Poplar, some ash & chestnut

80.60 Intersected the E. boundary 110 lks. S. of post

179

T. N. R. 4 E. 2^d Mer. Indiana

Over rolling 3^d rate land timber Beech and Poplar, thick undergth brush

West Cornered between Sec. 1 & 12, T. N. R. 4 E.
 40.30 Set of Sec. post at average dist. from which
 a Beech 20 in. diam. bear N 2 E 13 lks. dist. of
 a Do 24 " " " S 48 W 28 " "
 80.60 to Sec. Corner.

North Between Sec. 1 & 2, T. N. R. 4 E.
 5.50 a Beech 18 in. diam. in the line
 40.00 Set the of Sec. post, from which
 a R. Gum 18 in. diam. bear N 35 W 50 lks. dist. of
 a Beech 20 " " " S 5 W 40 " "
 57.60 a Poplar 40 " " in the line
 74.50 a water Course 8 lks. wide Course N. W.
 81.40 Intersected the N. boundary 190 lks. N. of post
 Set a post Cor. to Sec. 1 & 2, from which
 a Poplar 8 in. diam. bear S 86 W 6 lks. dist. of
 a Do 6 " " " N 48 E 22 " "
 Over rolling 2^d rate land, timber Beech & Poplar
 thick undergth.

North Between Sec. 34 & 35, T. N. R. 4 E.
 20.00 a Beech 20 in. diam. in the line
 40.00 Set the of Sec. post, from which
 a W. Oak 10 in. diam. bear South 22 lks. dist. of
 a Do 15 " " " N 88 E 16 " "
 80.00 Set a post Cor. to Sec. 26, 27, 34 & 35, from which
 a Beech 18 in. diam. bear N 39 E 37 lks. dist. of
 a W. Oak 12 " " " S 52 W 50 " "
 Poor land, small Oak timber Feb. 22^d 1807

T.N. R. 4 E. 2nd Mer. Indiana

East On Rand 9th between Sec 26 & 35, T. 1 N. R. 4 E
 40.00 Set temp^y q^y. Sec. post poor barren land
 79.40 Intersected the N. & S. line 50 lks. N. of post
 Hilly poor land, thinly timbered with Oak
 undergth. Sassafras & Greenbrier

West Corrected between Sec. 26 & 35, T. 1 N. R. 4 E.
 39.70 Set q^y. Sec. post at average dist. from which
 a Poplar 4 in. dia. bears S 70 E 13 lks. dist. &
 a Do 5 " " " S 26 E 10 " "
 79.40 to Sec. Corner.

North Between Sec. 26 & 27, T. 1 N. R. 4 E.
 17.50 a B. Oak 30 in. dia. in the line
 40.00 Set q^y. Sec. post, from which
 a Sugar 15 in. dia. bears N 56 W 15 lks. dist. &
 a Beech 10 " " " S 26 E 23 " "
 50.00 a Creek 100. lks. wide Course S. W.
 8.00 Set a post Cor. to Sec. 22, 23, 26 & 27, from which
 a Beech 20 in. dia. bears S 12 E 34 lks. dist. &
 a Do 20 " " " N 40 W 2 " "
 1st p. low last p. Hilly 3rd rate land - Oak Beech Poplar
 Elm timber &c.

East On Random Between Sec. 23 & 26, T. 1 N. R. 4 E.
 40.00 Set the temporary q^y. Sec. post.
 80.00 Intersected the N. & S. line 24 lks. N of Post,
 Over low flat 3rd rate Land Beech Poplar &c.

West On true line Between Sec. 23 & 26, T. 1 N. R. 4 E.
 40.00 Set the q^y. Sec. post at average dist. from which
 a Beech 18 in. dia. bears N 65 W 25 lks. dist. &
 a Do 18 " " " S 10 E 27 " "
 80.00 to Section Corner

S. N. R. 4 E. 2^d. Mer. Indiana

North Between Sec^s. 22 & 23, S. 1 N. R. 4 E.
 17. 20 a Brook 15 lks. wide Course S. 10 W.
 38. 40 a Beech 20 in. dia. in the line
 40. 00 Set q^r. Sec. post from which
 a Beech 12 in. dia. bears N 5 E 8 lks. dist. &
 a B. Gum 20 " " " S 7 W 21 " "
 80. 00 Set a post Cor. to Sec^s. 14, 15, 22 & 23, from which
 a Beech 18 in. dia. bears N 31 W 31 lks. dist. &
 a Do 15 " " " S 4 E 28 " "
 Rolling 2^d. rate Land timber Beech, Oak, Poplar.
 undergrowth Spice &c.

East On Random Between Sec^s. 14 & 23, S. 1 N. R. 4 E.
 14. 15 a Stream 10 lks. wide Course S.
 40. 00 Set the temp^y. q^r. Sec. post
 79. 80 Intersected the N. & S line 25 lks. N. of post.
 Over level 2^d. rate Land light timber Beech Oak pop^r.

West On true line Between Sec^s. 14 & 23, S. 1 N. R. 4 E.
 39. 90 Set the q^r. Sec. post at average dist. from which.
 a Beech 18 in. dia. bears N 21 E 22 lks. dist. &
 a Poplar 6 " " " S 26 W 3 " "
 79. 80 to Section Corner

North Between Sec^s. 14 & 15, S. 1 N. R. 4 E.
 40. 00 Set q^r. Sec. post from which
 a W. Oak 12 in. dia. bears East 22 lks. dist. &
 a Poplar 30 " " " N 11 E 28 " "
 57. 40 a W. Oak 15 " " in the line
 80. 00 Set a post Cor. to Sec^s. 10, 14 & 15, from which
 a Hickory 4 in. dia. bears S 12 W 6 lks. dist. &
 Over Hilly 3^d. rate timber Oak - " "

T. N. R. 3 E. 2^d Mer. Indiana

East On Random Between Sec. 11, 14, T. 1 N., R. 4 E.
 40.00 Set the temp^y. q. Sec. post
 79.75 Intersected the N. & S. line 30 lks. N. of post.
 Over rolling 2^d. rate timber Beech Oak, Poplar Sugar &c.

West On true line Between Sec. 11 & 14 T. 1 N., R. 4 E.
 39.87 Set q. Sec. post at average dist., from which
 a Sugar 8 in. dia. bears South 22 lks. dist. &
 a Dogwood 5 " " " N 29 W 9 " "
 79.75 to Section Corner

North Between Sec. 10 & 11, T. 1 N., R. 4 E.
 40.00 Set q. Sec. post from which
 a Beech 15 in. dia. bears S 84 E 18 lks. dist. &
 a W. Oak 18 " " " N 60 W 19 " "
 59.60 a Beech 15 " " in the line
 78.25 a prater corner 10 lks. mid^y corner N. W.
 80.00 Set a post corner to Sec. 2, 3, 10 & 11, from which
 a Beech 20 in. dia. bears North 10 lks. dist. &
 a Do 15 " " " S 46 E 20 " "
 Rolling 2^d. rate timber Beech Poplar Oak & Sugar
 Spice undergrowth.

East On Random Between Sec. 2 & 11, T. 1 N., R. 4 E.
 40.00 Set temp^y. q. Sec. post,
 79.80 Intersected the N. & S. line 30 lks. N. of post.
 rolling 2^d. & 3^d. rate. Beech Oak poplar &c.

West On true line Between Sec. 2 & 11, T. 1 N., R. 4 E.
 39.90 Set q. Sec. post at average dist., from which
 a Dogwood in. dia. bears N 2 E 6 lks. dist. &
 a Beech 20 " " " S 2 W 40 " "
 79.80 to Section Corner

S. N. R. 4 E. 2^d Mer. Indiana

North Between Secs. 24 & 31 N. R. 4 E.
 26.15 a Beech 20 in. dia. in the line
 34.50 a Water Course 10 chs. wide Course N. W.
 40.00 Set q. Sec. post, from which
 a Beech 12 in. dia. bears S 66 E 36 chs. dist. &
 a Do 5 " " " N 15 E 19 " "
 43.50 a Beech 15 " " in the line
 62.50 a Water Course 8 chs. wide Course N. W.
 80.73 Intersected the N. boundary 15. chs. N. of post
 Set a post Cor. to Sec. 24 & 31. from which
 a Poplar 10 in. dia. bears N 82 E 9 chs. dist. &
 a Beech 20 " " " N 76 W 17 " "
 Over rolling 2^d rate timber Beech Poplar Sugar
 undergrowth Spice &c.

North Between Secs. 33 & 34, S. 1 N. R. 4 E.
 2.60 a Creek 60 chs. wide Course W.
 40.00 Set q. Sec. post, from which
 a Beech 14 in. dia. bears S 8 E 17 chs. dist. &
 a Do 12 " " " N 45 E 27 " "
 52.00 a Water Course 14 chs. wide Course West
 80.00 Set a post Cor. to Secs. 27 & 28, 33 & 34, from which
 a Beech 10 in. dia. bears S 38 W 18 chs. dist. &
 a Do 18 " " " S 53 E 47 " "
 Good farming Land Beech Poplar timber.

East On Random Between Secs. 27 & 34, S. 1 N. R. 4 E.
 40.00 Set the temp. Sec. post
 49.00 a Creek 60 chs. wide Course S. W.
 79.50 Intersected the N. & S. line 20 chs. N. of post
 poor Land Some rolling timber Oak thick undergrowth.

West On true line Between Secs. 27 & 34, S. 1 N. R. 4 E.

184

N. R. 4 E. 2^d Mer. Indiana

39.75 Set q^r. Sec. post at average dist. from which
a Poplar 8 in. dia^r. bears N 17 W 13 lks. dist. &
a Do 8 " " " S 15 E 9 " "

79.50 To Section Corner

North Between Sec^s. 27 & 28, S 1 N. R. 4 E.

40.00 Set q^r. Sec. post, from which
a Poplar 4 in. dia^r. bears West 3 lks. dist. &
a B. Oak 6 " " " S 60 E 3 " "

80.00 Set a post. Corner to Sec^s. 21, 22, 27 & 28, from which
a Poplar 6 in. dia^r. bears S 43 W 5 lks. dist. &
a Do 50 " " " N 51 E 12 " "

Over Bearrens 3^d. rate Land very thick undergrowth.

East On Random Between Sec^s. 22 & 27, S 1 N. R. 4 E.

40.00 Set the temp^y. q^r. Sec. post

78.40 a Brook 15 lks. wide Course S.

79.30 Intersected the N. & S. line 15 lks. S. of post.

Over rolling 2^d. rate Land timber Beech Oak Poplar.

West On true line Between Sec^s. 22 & 27, S 1 N. R. 4 E.

39.65 Set q^r. Sec. post at average dist. from which
a W. Oak 15 in. dia^r. bears S 11 E 18 lks. dist. &
a Dogwood 6 " " " N 83 E 5 " "

79.30 To Section Corner

North Between Sec^s. 21 & 22, S 1 N. R. 4 E. Feb. 25th 1807

31.00 a Water Course 31 lks. wide Course N.

36.85 an Elm 15 in dia^r. in the line

40.00 Set a q^r. Sec. post, from which
a Poplar 12 in. dia^r. bears S 34 E 30 lks. dist. &
a W. Oak 15 " " " N 59 W 26 " "

44.40 a W. Oak 15 " " in the line

St. R. & E. 2^d Mer. Indiana

46.50 a Water Course 10 lks. wide Course W.
 80.00 Set a post Corner to Sec^s. 15, 16, 21 & 22, from which
 a Hickory 5 in. dia. bears N 73° W 13 lks. dist. &
 a B. Gum 12 " " " S 29° E 13 " "
 Rolling 2^d rate Land timber Beech Poplar Sugar Ac.

East On Brandon Between Sec^s. 15 & 22, St. N. R. & E.
 40.00 Set the temp^y. of Sec. post
 79.50 Intersected the N. & S. line 12 lks. N. of post
 Hilby 3^d rate Land Beech Oak Poplar thick undergrowth

West On true line Between Sec^s. 15 & 22, St. N. R. & E.
 39.75 Set of Sec. post at average dist. from which
 a Beech 8 in. dia. bears S 51° W 18 lks. dist. &
 a Do 8 " " " N 43° E 9 " "
 79.50 to Section Corner Feb. 26th 1807

North Between Sec^s. 15 & 16, St. N. R. & E.
 9.00 a B Gum 15 in. dia. in the line
 33.00 a Brook 15 lks. wide Course W.
 40.00 Set a of Sec. post, from which
 a Buckeye 12 in. dia. bears N 24° E 28 lks. dist. &
 an Ironwood 6 " " " S 5° E 7 " "
 43.00 a Brook 18 lks wide Course S. W.
 53.50 a Beech 18 in. dia. in the line
 80.00 Set a post Corner to Sec^s. 9, 10, 15 & 16, from which
 a Beech 15 in. dia. bears N 62° W 22 lks. dist. &
 a Do 18 " " " S 7° E 25 " "
 Over Rolling Land 1st rate soil timber Beech Oak
 Poplar Sugar Ac. February 28th 1807.

East On Brandon Between Sec^s. 10 & 15, St. N. R. & E.
 30.00 a Water Course 10 lks. wide Course South

St. N. R. 4 E. 2nd Mer. Indiana

40.00 Set the temp. q. Sec. post.
 79.40 Intersected the N. & S. line 30 lks. N. of post
 Over Hilly 3rd rate Land, timber Oak, Beech.

West On true line Between Sec. 10 & 15, T. 1 N. R. 4 E.
 39.70 Set q. Sec. post at average dist. from which
 a Beech 8 in. dia. bears S 25° W 5 lks. dist. &
 a H. Oak 15 " " " N 32° E 18 " "
 79.40 To Section Corner

North Between Sec. 9 & 10, T. 1 N. R. 4 E.
 13.20 a Poplar 48 in. dia. in the line
 40.10 Set q. Sec. post. from which
 an Elm 12 in. dia. bears N 70° W 19 lks. dist. &
 a Beech 10 " " " S 80° E 6 " "
 Over rolling 2nd rate timber beech, Poplar, Sugar &c.
 30.00 Set a post Corner to Sec. 3, 4, 9 & 10, from which
 a Beech 24 in. dia. bears N 25° W 22 lks. dist. &
 a Do 6 " " " N 73° E 19 " "
 rolling Land 2nd rate Soil timber Beech, Poplar,
 & Sugar, Spice undergrowth.

East On Random Between Sec. 3 & 10, T. 1 N. R. 4 E.
 40.00 Set the temp. q. Sec. post
 45.60 a Water Course 8 lks. wide Course N.
 79.10 Intersected the N. & S. line 10 lks. N. of post
 Over rolling 2nd rate Beech Poplar & Sugar.

West On true line Between Sec. 3 & 10, T. 1 N. R. 4 E.
 39.55 Set q. Sec. post at average dist. from which
 a Beech 12 in. dia. bears N 59° E 51 lks. dist. &
 a Do 30 " " " S 53° W 41 " "
 79.10 To Section Corner

T. N. R. 4 E. 2^d Mer. Indiana

North Between Secs 3 & 4, T. N. R. 4 E.
 17. 75 a Creek 100 lks. wide Course S. 70 W.
 31. 55 a Sugar 12 in. dia. in the line
 40. 00 Set of Sec. post, from which
 a Beech 20 in. dia. bears S 36 W 35 lks. dist. &
 a Do 8 " " " N 21 E 14 " "
 30. 00 a Water Course 10 lks. wide Course S. E.
 61. 30 a Beech 14 in. dia. in the line
 80. 63 Intersected the N. boundary 1.74 lks. E. of post
 Set a post Cor. to Secs 3 & 4, from which
 a Beech 10 in. dia. bears S 3 E 44 lks. dist. &
 a Do 10 " " " N 16 W 26 " "
 Over broken 3^d rate Land. timber, Oak, Beech, Poplar &c.

North Between Secs 32 & 33, T. N. R. 4 E. Feb. 7. 22. 1807.
 40. 00 Set of Sec. post, from which
 a Beech 6 in. dia. bears N 3 W 25 lks. dist. &
 a Do 8 " " " S 32 E 39 " "
 41. 00 a Stream 100 lks. wide Course West
 80. 00 Set a post Cor. to Secs 28, 29, 32 & 33, from which
 a Sugar 12 in. dia. bears N 63 E 35 lks. dist. &
 a Do 12 " " " N 28 W 14 " "
 rolling good farming Land Beech & poplar, Spice underg.

East On Random Between Secs 28 & 33, T. N. R. 4 E.
 14. 00 a Stream 80 lks. wide Course S. W.
 40. 00 Set the temp. of Sec. post.
 79. 00 Intersected the N. & S. line 14 lks. S. of post
 Over Poor Land light timber Oak, thick undergrowth.

West On true line Between Secs 28 & 33, T. N. R. 4 E.
 39. 50 Set of Sec. post at average dist. from which
 a Dogwood 4 in. dia. bears N 77 E 8 lks. dist. &

T. N. R. & E. T. Mer. Indiana

a Dogwood 5 in. dia. bears N 52 W 20 chs. dist. &
 79. 00 to Section Corner

North Between Secs. 28 & 29, T. 1 N., R. 4 E.,

40. 00 Set q. Sec. post, from which
 a Poplar 6 in. dia. bears N 58 W 19 chs. dist. &
 a Do 6 " " " S 33 E 7 " "

60. 80 a Poplar 18 " "

80. 00 Set a post Corner to Secs. 20, 21, 28 & 29, from which
 a W. Oak 10 in. dia. bears N 10 W 12 chs. dist. &
 a Do 24 " " " N 88 E 22 " "
 Rolling 3. rate Land timber Beech Oak & Poplar

East On Random Between Secs. 21 & 28, T. 1 N., R. 4 E.,

30. 00 a Creek 35 chs. wide Coursed. (February 24th 1807.)

40. 00 Set the temp. q. Sec. post

60. 75 a Water Course 8 chs. wide Course S. 78 W.

80. 00 Intersected the N. & S. line 35 chs. N. of post
 over Hilby 3. rate Land thinly timbered with Poplar Gum.

West On true line Between Secs. 21 & 28, T. 1 N., R. 4 E.,

40. 00 Set q. Sec. post at average dist. from which.
 a Beech 18 in. dia. bears S 59 W 13 chs. dist. &
 a Do 18 " " " S 85 E 28 " "

80. 00 to Section Corner

North Between Secs. 20 & 21, T. 1 N., R. 4 E.,

6. 76 a B. Gum 15 in. dia. in the line

40. 00 Set the q. Sec. post, from which
 a W. Oak 6 in. dia. bears S 55 E 28 chs. dist. &
 a B. Oak 8 " " " N 57 W 10 " "

80. 00 Set a post Corner to Secs. 16, 17, 20, & 21, from which
 a W. Oak 4 in. dia. bears S 27 E 7 chs. dist. &

N. N. R. & E. 2nd Mer. Indiana

a B. Oak 4 in. dia. bears N 65 E 7 chs. dist.
Over Rolling Barons 3^d. rate Land Oak, thick undergrowth.

East On Random Between Sec. 16 & 21, S. 1 N. R. 4 E.

31.65 a Brook 25 chs. wide Course S.

40.00 Set the temp. y. of Sec. post.

80.00 Intersected the N. & S. line 15 chs. S. of post.

Rolling 3^d. rate Soil timber Beech, Oak, & Poplar.

West On true line Between Sec. 16 & 21, S. 1 N. R. 4 E.

40.00 Set of Sec. post at average dist. from which
a Beech 15 in. dia. bears N 31 E 22 chs. dist. &

a No 12 " " " S 63 W 20 " "

80.00 to Section Corner February 27th 1807

North Between Sec. 16 & 17, S. 1 N. R. 4 E.

40.00 Set of Sec. post. from which

a Poplar 6 in. dia. bears N 12 E 25 chs. dist. &

a W. Oak 6 " " " S 57 E 53 " "

59.40 a W Oak 24 " " in the line

80.00 Set a post Corner to Sec. 8, 9, 16 & 17, from which

a B. Oak 24 in. dia. bears S 43 E 18 chs. dist. &

a Dogwood 4 " " " N 34 W 13 " "

Over level 3^d. rate Land timbered with, Oak.

East On Random Between Sec. 9 & 16, S. 1 N. R. 4 E.

10.15 a water Course 8 chs. wide Course North

40.00 Set the temp. y. of Sec. post

79.84 Intersected the N. & S. line 14 chs. N of post

Over Hilby 3^d. rate Land timber Oak, Beech & Poplar

West On true line Between Sec. 9 & 16, S. 1 N. R. 4 E.

39.82 Set of Sec. post at average dist from which

T. N. R. 4 E. 2. Mer. Indiana

a Beech 12 in. dia. bears S 20 N 11 lbs. dist. 8
 a B. Gum 20 " " N 30 E 5 " "

79. 84 To Section Corner

North Between Secs. 8 & 9, T. 1 N. R. 3 E. February 27th 1807

40. 00 Set a q. Sec. post, from which
 a Beech 20 in. dia. bears S 12 E 31 lbs. dist. 8
 a Hickory 10 " " " N 53 E 27 " "

80. 00 Set a post Cor. to Secs. 4, 5, 8, & 9, from which
 a Beech 10 in. dia. bears S 25 E 11 lbs. dist. 8
 a Do 18 " " " N. 24 E 18 " "

Over hilly 5th rate Land timber Beech Oak Poplar.

East On Random Between Secs. 4 & 9, T. 1 N. R. 3 E.

7. 00 a Creek 100 lbs. wide Course N. 30 W.

40. 00 Set the temp. q. Sec. post

79. 50 Intersected the N. & S. line at the post

Over level 2nd rate Land Bottom timber Beech Poplar
 Sugar. Spice undergrowth

West On true line Between Secs. 4 & 9, T. 1 N. R. 4 E.

39. 75 Set q. Sec. post at average dist. from which
 a Sugar 8 in. dia. bears N 51 E 10 lbs. dist. 8
 a Do 15 " " " S 51 E 10 " "

79. 50 To Section Corner March 2nd 1807.

North Between Secs. 4 & 5, T. 1 N. R. 4 E.

5. 10 a Creek 100 lbs. wide Course West

25. 10 a Beech 30 in. dia. in the line

40. 00 Set a q. Sec. post, from which
 a Beech 24 in. dia. bears S 16 E 18 lbs. dist. 8
 a Do 20 " " " N 8 E 21 " "

46. 65 a Beech 20 " " in the line

T. N. R. 4 E. 2^d. Mer. Indiana

81. 20 Intersected the N. boundary 234 chs. E. of post
 Set a post Cor. to Sec. 4 & 5, from which
 a W Oak 30 in. dia. bears N 29° 12' E 12 chs. dist. &
 a Beech 6 " " " N 82° E 6 " "
 level 2^d rate Land timber Beech, Oak, Poplar,
 Spice undergrowth.

North Between Sec. 31 & 32, T. N. R. 4 E.

40. 00 Set q. Sec. post, from which
 a B. Oak 12 in. dia. bears S 25° 31' E 31 chs. dist. &
 a Sugar 8 " " " N 3° E 15 " "

50. 00 Set a post Cor. to Sec. 29, 30, 32 & 33, from which
 a Poplar 24 in. dia. bears S 7° E 33 chs. dist. &
 a Sugar 12 " " " N 63° 14' " "
 Poor Land Hilly Oak. Beech timber.

East On Random Between Sec. 29 & 32, T. N. R. 4 E.

40. 00 Set the temp. q. Sec. post

79. 20 Intersected the N. S. line 30 chs. N. of post
 Broken Poor Land Beech, & Oak. timber.

West On true line Between Sec. 29 & 32, T. N. R. 4 E.

39. 60 Set q. Sec. post at average dist. from which
 a B. Gum 15 in. dia. bears S 16° 7' E 3 chs. dist. &
 a Beech 15 " " " S 87° E 13 " "

79. 20 to Section Corner

West Between Sec. 30 & 31, T. N. R. 4 E. 2^d. Mer.

24. 50 a B. Gum 15 in. dia. in the line

40. 00 Set q. Sec. post from which
 a B. Walnut 4 in. dia. bears S 45° E 2 chs. dist. &
 a Poplar 6 " " " N 74° E 20 " "

75. 35 a B. Oak 4 " " in the line

T1N R4E. 2nd Mer. Indiana

80.24 Intersected the W. boundary 72 ch. S. of post
 Set a post Cor. to Secs. 30 & 31, from which
 a B. Oak 30 in. dia. bears N 18 W 31 ch. dist. 8
 a W. Oak 12 " " " S 35 W 9 " "
 Hilly 3rd rate Land timber Oak & Poplar.

North Between Secs. 29 & 30. T1N R4E.

40.00 Set q. Sec. post from which
 a Hickory 5 in. dia. bears S 68 W 5 ch. dist. 4
 a B. Oak 8 " " " S 4 E 35 " "

80.00 Set a post Cor. to Secs. 19, 20, 29 & 30. from which
 a B. Oak 30 in. dia. bears S 65 W 40 ch. dist. 8
 a W. Oak 20 " " " West 30 " "

Over rolling Barrens Land same Oak thick undergth

East On Random Between Secs. 20 & 29. T1N R4E.

40.00 Set the temp^y q. Sec. post

79.74 Intersected the N. & S. line 34 ch. S. of post
 Land & timber as on the last mile

West On true line Between Secs. 20 & 29. T1N R4E.

39.87 Set q. Sec. post at average dist. from which
 a B. Oak 7 in. dia. bears S 50 E 13. ch. dist. 4
 a Hickory 4 " " " N 89 W 14 " "

79.74 to Section Corner—

West Between Secs. 19 & 30. T1N R4E.

40.00 Set q. Sec. post, from which
 no bearings trees could be taken
 Over rolling barrens 3rd rate

79.00 Intersected W. boundary 112 ch. S. of post.
 No bearings could be taken Land the same

T. 1 N. R. 4 E., 3^d. Mer. Indiana

North Between Sec^s. 19 & 20, T. 1 N. R. 4 E.

- 40.00 Set q^r. Sec. post, from which
 a W. Oak 15 in. dia. bears N 69 E 5 lks. dist. &
 a Do 15 " " " North 32 " "
 63.50 a W. Oak 18 " "
 81.00 Set a post Cor. to Sec^s. 17, 18, 19 & 20, from which
 a W. Oak 18 in. dia. bears S 59 E 18 lks. dist. &
 a B. Oak 4 " " " N 87 W 39 " "
 the first 25 lks. of this half mile is over rolling
 3^d rate Land thinly timbered with Oak, the
 remainder with poor Bearrens -

East On Random Between Sec^s. 17 & 20, T. 1 N. R. 4 E.

- 40.00 Set the temp^r q^r. Sec. post
 79.20 Intersected the N. & S. line 50 lks. S. of post -
 over 3^d rate Land light timber with Oak & Poplar.

West On true line Between Sec^s. 17 & 20, T. 1 N. R. 4 E.

- 39.60 Set q^r. Sec. post at average dist.
 no bearings trees Could be taken -
 79.20 to Section Corner

West Between Sec^s. 18 & 19, T. 1 N. R. 4 E.

- 40.00 Set q^r. Sec. post, from which no bearings Could be taken
 73.00 Intersected the W. boundary 130 lks. S. of post
 Set a post Corner to Sec^s. 18 & 19, in 12 runs
 no bearings Could be taken, poor Bearrens Land.

North Between Sec^s. 17 & 18, T. 1 N. R. 3 E.

- 40.00 Set q^r. Sec. post in. bearing no bearings
 90.00 Set a post Corner to Sec^s. 7, 8, 17 & 18, from which
 a poplar 12 in. dia. bears N 79 E 38 lks. dist. &
 a Do 18 " " " N 35 E 70 " "

194

S. N. R. 3 E. 2^d. Mer. Indiana3^d. rate Land & Poor, very little timber

East On Random Between Sec. 8 & 17, T. 1 N. R. 4 E.,
 40.00 Set the temp. y. q. Sec. post
 77.64 Intersected the N. & S. line at the post
 Over Hilby 3^d. rate Land timber Oak & Poplar.

West On true line Between Sec. 8 & 17, T. 1 N. R. 4 E.
 39.82 Set q. Sec. post at average dist. from which
 a B. Oak 6 in. dia. bears N 43 E 38, lks. dist. 8
 a Hickory 8 " " " S 75 W 12 " "
 77.64 to Section Corner

West Between Sec. 7 & 18, T. 1 N. R. 4 E.
 25.30 a B. Oak 24 in. dia. in the line
 40.00 Set q. Sec. post, from which
 a B. Oak 4 in. dia. bears N 81 E 55 lks. dist.
 no other tree near -
 69.80 a Poplar 4 in. dia. in the line
 77.00 Intersected the W. boundary 72 lks. S. of post.
 Set a post Corner to Sec. 7 & 18, from which
 a Beech 15 in. dia. bears N 36 W 29, lks. dist. 8
 a No 10 " " " S 31 E 38 " "
 Over Hilby 3^d. rate land timber Oak & Poplar

North Between Sec. 7 & 8, T. 1 N. R. 4 E.,
 10.20 a W. Oak 24 in. dia. in the line
 40.00 Set q. Sec. post from which
 a Beech 13 in. dia. bears N 49 E 29 lks. dist. 8
 a B. Gum 12 " " " S 70 W 39 " "
 50.00 Set a post Cor. to Sec. 5, 6, 7 & 8, from which
 a Sycamore 3 in. dia. bears N 40 E 25 lks. dist. 8
 a Hickory 12 " " " South 1 " "

St. N. R. 4 E. 2^d. Mer. Indiana

Over Hilly 3^d. rate Land timber Beech Oak & Poplar.

East On Random Between Sec. 5 & 8, St. N. R. 4 E.
 6.25 a Brook 100 chs. wide Course North
 40.00 Set the temp. q. Sec. post
 69.50 a Brook 100 chs. wide Course S. W.
 79.40 Intersected the N. & S. line 10 chs. N. of post.
 Over level bottom 2^d. rate Land Beech Poplar Elm,
 Sugar tree &c.

West On true line Between Sec. 5 & 8, St. N. R. 4 E.
 39.70 Set q. Sec. post at average dist. from which
 a Sugar 15 in. dia. bears N 25 W 18 chs. dist. &
 a do 12 " " " S 51 E 32 " "
 79.40 to Section Corner

West Between Sec. 6 & 7, St. N. R. 4 E.
 10.15 a Creek 100 chs. wide Course S. W.
 27.00 a do 100 " " " N. W.
 40.00 Set a q. Sec. post, from which
 a Hickory 20 in. dia. bears S 54 E 3 chs. dist. &
 a Dogwood 8 " " " N 63 W 17 " "
 60.00 a Stream 2.50 chs. wide Course S.
 76.10 Intersected W. boundary 78 chs. S. of post.
 Set a post Corner to Sec. 6 & 7, from which
 a Dogwood 3 in. dia. bears N 7 W 36 chs. dist. &
 a do 4 " " " S 52 E 18 " "
 Hilly 3^d. rate Land Beech Oak timber.

North Between Sec. 5 & 6, St. N. R. 4 E.
 1.25 a brook 100 chs. wide Course W.
 27.68 a Beech 20 in. dia. in the line
 40.00 Set q. Sec. post, from which

T. N. R. 4 E. 2^d. Mer. Indiana

a Beech 20 in dia. bears N 32 E 18 chs. dist. 8
 a Do 36 S 39 W 22
 40. 60 Water Course 10 chs. wide Course S. W.
 62. 65 a Hickory 15 in. dia. in the line
 77. 20 a Water Course 10 chs. wide Cours W.
 80. 30 Intersected the N. boundary 390 chs. E. of post
 Set a post Cor. to Sec. 5 & 6. from which
 a Mulberry 5 in. dia. bears N 36 E 3 chs. dist. 8
 a Beech 15 S 33 E 29
 Overly Hilly 2^d rate Land timber Oak, Beech,
 Ash Poplar & Sugar, undergrowth Spice Young
 Briars &c. March 3^d 1807.
 Surveyed by Alexander Enos, L. S.

Comp

I Certify that the foregoing transcript of field notes of
 Township N. 1. N. 12 E. 2^d. Mer. Indiana, has been
 Comp. with the original notes in this office & found to be correct.
 Surveyor General's Office
 Cincinnati, June 7th 1841

O. S. Peairs
 Sur. Genl.